

This section contains a compilation of recent publications that have shaped the thinking in the field as well as classic works that remain important to the subject reviewed in this issue. This bibliography has been compiled by experts in the field and members of the editorial and advisory boards. Entries are listed chronologically and within years by first author. Articles from the bibliography that are reprinted in this issue are in bold type.

Bibliography

GERIATRIC PSYCHIATRY

American Geriatrics Society 2012 Beers Criteria Update Expert Panel: American Geriatrics Society updated Beers Criteria for potentially inappropriate medication use in older adults. *J Am Geriatr Soc* 2012; 60:616–631

Billioti de Gage S, Bégaud B, Bazin F, Verdoux H, Dartigues JF, Pérès K, Kurth T, Pariente A: Benzodiazepine use and risk of dementia: prospective population based study. *BMJ* 2012; 345:e6231

Brodaty H, Arasaratnam C: Meta-analysis of nonpharmacological interventions for neuropsychiatric symptoms of dementia. *Am J Psychiatry* 2012; 169:946–953

Büchtemann D, Lupp M, Bramesfeld A, Riedel-Heller S: Incidence of late-life depression: A systematic review. *J Affect Disord* 2012; 142:172–179

Byers AL, Areal PA, Yaffe K: Low use of mental health services among older Americans with mood and anxiety disorders. *Psychiatr Serv* 2012; 63:66–72

Corbett A, Smith J, Creese B, Ballard C: Treatment of behavioral and psychological symptoms of Alzheimer's disease. *Curr Treat Options Neurol* 2012; 14:113–125

Cuijpers P, Beekman AT, Reynolds CF 3rd: Preventing depression: a global priority. *JAMA* 2012; 307:1033–1034

Gitlin LN, Kales HC, Lyketsos CG: Nonpharmacologic management of behavioral symptoms in dementia. *JAMA* 2012; 308:2020–2029

Huybrechts KF, Gerhard T, Crystal S, Olfson M, Avorn J, Levin R, Lucas JA, Schneeweiss S: Differential risk of death in older residents in nursing homes prescribed specific antipsychotic drugs: population based cohort study. *BMJ* 2012; 344:e977

Huybrechts KF, Schneeweiss S, Gerhard T, Olfson M, Avorn J, Levin R, Lucas JA, Crystal S: Comparative safety of antipsychotic medications in nursing home residents. *J Am Geriatr Soc* 2012; 60:420–429

Kales HC, Kim HM, Zivin K, Valenstein M, Seyfried LS, Chiang C, Cunningham F, Schneider LS, Blow FC: Risk of mortality among individual antipsychotics in patients with dementia. *Am J Psychiatry* 2012; 169:71–79

Kaspers PJ, Pasman HR, Onwuteaka-Philipsen BD, Deeg DJ: Changes over a decade in end-of-life care and transfers during the last 3 months of life: A repeated survey among proxies of deceased older people. *Palliat Med* Sep 17, 2012 [Epub ahead of print]

Lachner C, Steinle NI, Regenold WT: The neuropsychiatry of vitamin B12 deficiency in elderly patients. *J Neuropsychiatry Clin Neurosci* 2012; 24:5–15

Maher AR, Theodore G: Summary of the comparative effectiveness review on off-label use of atypical antipsychotics. *J Manag Care Pharm* 2012; 18(5, suppl B): S1–S20

Mohamed S, Rosenheck R, Lyketsos CG, Kaczynski R, Sultzer DL, Schneider LS: Effect of second-generation antipsychotics on caregiver burden in Alzheimer's disease. *J Clin Psychiatry* 2012; 73:121–128

Naylor MD, Karlawish JH, Arnold SE, Khachaturian AS, Khachaturian ZS, Lee VM, Baumgart M, Banerjee S, Beck C, Blennow K, Brookmeyer R, Brunden KR, Buckwalter KC, Comer M, Covinsky K, Feinberg LF, Frisoni G, Green C, Guimaraes RM, Gwyther LP, Hefti FF, Hutton M, Kawas C, Kent DM, Kuller L, Langa KM, Mahley RW, Maslow K, Masters CL, Meier DE, Neumann PJ, Paul SM, Petersen RC, Sager MA, Sano M, Schenk D, Soares H, Sperling RA, Stahl SM, van Deerlin V, Stern Y, Weir D, Wolk DA, Trojanowski JQ: Advancing Alzheimer's disease diagnosis, treatment, and care: recommendations from the Ware Invitational Summit. *Alzheimers Dement* 2012; 8:445–452

Schwarz S, Froelich L, Burns A: Pharmacological treatment of dementia. *Curr Opin Psychiatry* 2012; 25:542–550

Shahnawaz Z, Reppermund S, Brodaty H, Crawford JD, Draper B, Trollor JN, Sachdev PS: Prevalence and characteristics of depression in mild cognitive impairment: the Sydney Memory and Ageing Study. *Acta Psychiatr Scand* (Epub ahead of print Sep 4, 2012; doi: 10.1111/acps.12008)

Sheline YI, Disabato BM, Hranilovich J, Morris C, D'Angelo G, Pieper C, Toffanin T, Taylor WD, Macfall JR, Wilkins C, Barch DM, Welsh-Bohmer KA, Steffens DC, Krishnan RR, Doraiswamy PM: Treatment course with antidepressant therapy in late-life depression. *Am J Psychiatry* (Epub ahead of print Oct 3, 2012; doi: 10.1176/appi.ajp.2012.12010122)

Singh-Manoux A, Kivimaki M, Glymour MM, Elbaz A, Berr C, Ebmeier KP, Ferrie JE, Dugravot A: Timing of onset of cognitive decline: results from Whitehall II prospective cohort study. *BMJ* 2012; 344:d7622

Steinberg M, Lyketsos CG: Atypical antipsychotic use in patients with dementia: managing safety concerns. *Am J Psychiatry* 2012; 169:900–906

- Unützer J, Park M: Older adults with severe, treatment-resistant depression. *JAMA* 2012; 308:909–918
- van der Linde RM, Stephan BC, Matthews FE, Brayne C, Savva GM; on behalf of the Medical Research Council Cognitive Function and Ageing Study: The presence of behavioural and psychological symptoms and progression to dementia in the cognitively impaired older population. *Int J Geriatr Psychiatry* (Epub ahead of print Aug 10, 2012; doi: 10.1002/gps.3873)
- Rolinski M, Fox C, Maidment I, McShane R. Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease. *Cochrane Database Syst Rev.* 2012 Mar 14;3: CD006504.
- Albert MS, DeKosky ST, Dickson D, Dubois B, Feldman HH, Fox NC, Gamst A, Holtzman DM, Jagust WJ, Petersen RC, Snyder PJ, Carrillo MC, Thies B, Phelps CH: The diagnosis of mild cognitive impairment due to Alzheimer's disease: recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimers Dement* 2011; 7:270–279**
- Banerjee S, Hellier J, Dewey M, Romeo R, Ballard C, Baldwin R, Benthall P, Fox C, Holmes C, Katona C, Knapp M, Lawton C, Lindsay J, Livingston G, McCrae N, Moniz-Cook E, Murray J, Nurock S, Orrell M, O'Brien J, Poppe M, Thomas A, Walwyn R, Wilson K, Burns A: Sertraline or mirtazapine for depression in dementia (HTA-SADD): a randomised, multicentre, double-blind, placebo-controlled trial. *Lancet* 2011; 378:403–411
- Cooper C, Katona C, Lyketsos K, Blazer D, Brodaty H, Rabins P, de Mendonça Lima CA, Livingston G: A systematic review of treatments for refractory depression in older people. *Am J Psychiatry* 2011; 168:681–688**
- Coupland C, Dhiman P, Morriss R, Arthur A, Barton G, Hippisley-Cox J: Antidepressant use and risk of adverse outcomes in older people: population based cohort study. *BMJ* 2011; 343:d4551
- Huybrechts KF, Rothman KJ, Silliman RA, Brookhart MA, Schneeweiss S: Risk of death and hospital admission for major medical events after initiation of psychotropic medications in older adults admitted to nursing homes. *CMAJ* 2011; 183:E411–E419
- Jeste DV, Wolkowitz OM, Palmer BW: Divergent trajectories of physical, cognitive, and psychosocial aging in schizophrenia. *Schizophr Bull* 2011; 37:451–455
- Kim HM, Chiang C, Kales HC: After the black box warning: predictors of psychotropic treatment choices for older patients with dementia. *Psychiatr Serv* 2011; 62:1207–1214
- Maglione M, Maher AR, Hu J, Wang Z, Shanman R, Shekelle PG, Roth B, Hilton L, Suttrop MJ, Ewing BA, Motala A, Perry T: Off-Label Use of Atypical Antipsychotics: An Update. Rockville, Md, Agency for Healthcare Research and Quality, 2011
- Maher AR, Maglione M, Bagley S, Suttrop M, Hu JH, Ewing B, Wang Z, Timmer M, Suttzer D, Shekelle PG: Efficacy and comparative effectiveness of atypical antipsychotic medications for off-label uses in adults: a systematic review and meta-analysis. *JAMA* 2011; 306: 1359–1369
- O'Brien JT, Burns A, Ashley P, Bullock R, Burn D, Holmes C, Iliffe S, Jones R, McKeith I, Passmore P, Purandare N, Ritchie CW, Skoog I, Thomas A, Wilcock G, Wilkinson D; BAP Dementia Consensus Group: Clinical practice with anti-dementia drugs: a revised (second) consensus statement from the British Association for Psychopharmacology. *J Psychopharmacol* 2011; 25:997–1019
- Reynolds CF 3rd, Butters MA, Lopez O, Pollock BG, Dew MA, Mulsant BH, Lenze EJ, Holm M, Rogers JC, Mazumdar S, Houck PR, Begley A, Anderson S, Karp JF, Miller MD, Whyte EM, Stack J, Gildengers A, Szanto K, Bensasi S, Kaufer DI, Kamboh MI, DeKosky ST: Maintenance treatment of depression in old age: a randomized, double-blind, placebo-controlled evaluation of the efficacy and safety of donepezil combined with antidepressant pharmacotherapy. *Arch Gen Psychiatry* 2011; 68:51–60
- Templeman K, Robinson A: Integrative medicine models in contemporary primary health care. *Complement Ther Med* 2011; 19:84–92
- van't Veer-Tazelaar PJ, van Marwijk HW, van Oppen P, van der Horst HE, Smit F, Cuijpers P, Beekman AT: Prevention of late-life anxiety and depression has sustained effects over 24 months: a pragmatic randomized trial. *Am J Geriatr Psychiatry* 2011; 19:230–239
- Vigen CL, Mack WJ, Keefe RS, Sano M, Sultzer DL, Stroup TS, Dagerman KS, Hsiao JK, Lebowitz BD, Lyketsos CG, Tariot PN, Zheng L, Schneider LS: Cognitive effects of atypical antipsychotic medications in patients with Alzheimer's disease: outcomes from CATIE-AD. *Am J Psychiatry* 2011; 168:831–839
- Areán PA, Raue P, Mackin RS, Kanellopoulos D, McCulloch C, Alexopoulos GS: Problem-solving therapy and supportive therapy in older adults with major depression and executive dysfunction. *Am J Psychiatry* 2010; 167:1391–1398
- Dombrowski AY, Clark L, Siegle GJ, Butters MA, Ichikawa N, Sahakian BJ, Szanto K: Reward/Punishment reversal learning in older suicide attempters. *Am J Psychiatry* 2010; 167:699–707
- Conwell Y, Duberstein PR, Hirsch JK, Conner KR, Eberly S, Caine ED: Health status and suicide in the second half of life. *Int J Geriatr Psychiatry* 2010; 25: 371–379
- Alexopoulos GS, Kelly RE Jr: Research advances in geriatric depression. *World Psychiatry* 2009; 8:140–149**
- Alexopoulos GS, Reynolds CF 3rd, Bruce ML, Katz IR, Raue PJ, Mulsant BH, Oslin DW, Ten Have T; PROSPECT Group: Reducing suicidal ideation and depression in older primary care patients: 24-month outcomes of the PROSPECT study. *Am J Psychiatry* 2009; 166:882–890
- Anisman H: Cascading effects of stressors and inflammatory immune system activation: implications for major depressive disorder. *J Psychiatry Neurosci* 2009; 34:4–20

- Ballard C, Hanney ML, Theodoulou M, Douglas S, McShane R, Kossakowski K, Gill R, Juszczak E, Yu LM, Jacoby R; DART-AD investigators: The dementia antipsychotic withdrawal trial (DART-AD): long-term follow-up of a randomised placebo-controlled trial. *Lancet Neurol* 2009; 8:151–157
- Mendez M: Frontotemporal dementia: therapeutic interventions. *Front Neurol Neurosci*. vol. 24. Basel, Karger, 2009, pp 168–178
- O'Connor DW, Ames D, Gardner B, King M: Psychosocial treatments of behavior symptoms in dementia: a systematic review of reports meeting quality standards. *International Psychogeriatrics* 2009; 21:225–240
- Stone M, Laughren T, Jones ML, Levenson M, Holland PC, Hughes A, Hammad TA, Temple R, Rochester G: Risk of suicidality in clinical trials of antidepressants in adults: analysis of proprietary data submitted to US Food and Drug Administration. *BMJ* 2009; 339:b2880
- van't Veer-Tazelaar PJ, van Marwijk HW, van Oppen P, van Hout HP, van der Horst HE, Cuijpers P, Smit F, Beekman AT: Stepped-care prevention of anxiety and depression in late life: a randomized controlled trial. *Arch Gen Psychiatry* 2009; 66:297–304
- Zheng L, Mack WJ, Dagerman KS, Hsiao JK, Lebowitz BD, Lyketsos CG, Stroup TS, Sultzer DL, Tariot PN, Vigen C, Schneider LS: Metabolic changes associated with second-generation antipsychotic use in Alzheimer's disease patients: the CATIE-AD study. *Am J Psychiatry* 2009; 166:583–590
- Birks J, Grimley Evans J, Iakovidou V, Tsolaki M, Holt FE: Rivastigmine for Alzheimer's disease. *Cochrane Database Syst Rev*. 2009 Apr 15;(2):CD001191.
- Cuijpers P, van Straten A, Smit F, Mihalopoulos C, Beekman A: Preventing the onset of depressive disorders: a meta-analytic review of psychological interventions. *Am J Psychiatry* 2008; 165:1272–1280
- FDA: Information for Healthcare Professionals: Conventional Antipsychotics 2008 [updated 06/16/2008 09/19/12]. Available from: <http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm124830.htm>.
- Jeste DV, Blazer D, Casey D, Meeks T, Salzman C, Schneider L, Tariot P, Yaffe K: ACNP White Paper: update on use of antipsychotic drugs in elderly persons with dementia. *Neuropsychopharmacology* 2008; 33:957–970
- Nelson JC, Delucchi K, Schneider LS: Efficacy of second generation antidepressants in late-life depression: a meta-analysis of the evidence. *Am J Geriatr Psychiatry* 2008; 16:558–567
- Robinson RG, Jorge RE, Moser DJ, Acion L, Solodkin A, Small SL, Fonzetti P, Hegel M, Arndt S: Escitalopram and problem-solving therapy for prevention of poststroke depression: a randomized controlled trial. *JAMA* 2008; 299:2391–2400
- Sultzer DL, Davis SM, Tariot PN, Dagerman KS, Lebowitz BD, Lyketsos CG, Rosenheck RA, Hsiao JK, Lieberman JA, Schneider LS; CATIE-AD Study Group: Clinical symptom responses to atypical antipsychotic medications in Alzheimer's disease: phase 1 outcomes from the CATIE-AD effectiveness trial. *Am J Psychiatry* 2008; 165:844–854
- Valiyeva E, Herrmann N, Rochon PA, Gill SS, Anderson GM: Effect of regulatory warnings on antipsychotic prescription rates among elderly patients with dementia: a population-based time-series analysis. *CMAJ* 2008; 179:438–446
- Rovner BW, Casten RJ, Hegel MT, Leiby BE, Tasman WS: Preventing depression in age-related macular degeneration. *Arch Gen Psychiatry* 2007; 64:886–892
- American Psychiatric Association, Treatment of Patients with Alzheimer's Disease and Other Dementias, Second Edition (2007) <http://psychiatryonline.org/guidelines.aspx>
- Reynolds CF 3rd, Dew MA, Pollock BG, Mulsant BH, Frank E, Miller MD, Houck PR, Mazumdar S, Butters MA, Stack JA, Schlernitzauer MA, Whyte EM, Gildengers A, Karp J, Lenze E, Szanto K, Bensasi S, Kupfer DJ: Maintenance treatment of major depression in old age. *N Engl J Med* 2006; 354:1130–1138
- FDA: Public health advisory: Deaths with antipsychotics in elderly patients with behavioral disturbances. <http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/DrugSafetyInformationforHealthcareProfessionals/PublicHealthAdvisories/ucm053171.htm> 2005 [updated April 11, 2005; cited 2012 09/17/12].
- Livingston G, Johnston K, Katona C, Paton J, Lyketsos CG; Old Age Task Force of the World Federation of Biological Psychiatry: Systematic review of psychological approaches to the management of neuropsychiatric symptoms of dementia. *Am J Psychiatry* 2005; 162:1996–2021

NOTES
