

This section contains a compilation of recent publications that have shaped the thinking in the field as well as classic works that remain important to the subject reviewed in this issue. This bibliography has been compiled by experts in the field and members of the editorial and advisory boards. Entries are listed chronologically and within years by first author. Articles from the bibliography that are reprinted in this issue are in bold type.

Bibliography

PANIC AND SOCIAL ANXIETY DISORDER

PANIC DISORDER

- Pollack MH, Otto MW, Roy-Byrne P, Coplan JD, Rothbaum BO, Simon NM, Gorman JM: Novel treatment approaches for refractory anxiety disorders. *Depress Anxiety* 2008; 25:467–76**
- Roy-Byrne PP, Davidson KW, Kessler RC, Asmundson GJ, Goodwin RD, Kubzansky L, Lydiard RB, Massie MJ, Katon W, Laden SK, Stein MB: Anxiety disorders and comorbid medical illness. *Gen Hosp Psychiatry* 2008; 30:208–225**
- Stein MB, Goin MK, Pollack MH, Roy-Byrne P, Sareen J, Simon NM, Campbell-Sills L: American Psychiatric Association Work Group on Panic Disorder. Practice guideline for the treatment of patients with panic disorder, second edition. *Am J Psychiatry* (in press)
- Batelaan N, de Graaf R, Van Balkom A, Vollebergh W, Beekman A: Thresholds for health and thresholds for illness: panic disorder versus subthreshold panic disorder. *Psychol Med* 2007; 37:247–56
- Boden JM, Fergusson DM, Horwood LJ: Anxiety disorders and suicidal behaviours in adolescence and young adulthood: findings from a longitudinal study. *Psychol Med* 2007; 37:431–440
- Connolly SD, Bernstein GA: Practice parameter for the assessment and treatment of children and adolescents with anxiety disorders. *J Am Acad Child Adolesc Psychiatry* 2007; 46:267–283
- Craske MG, Farchione TJ, Allen LB, Barrios V, Stoyanova M, Rose R: Cognitive behavioral therapy for panic disorder and comorbidity: more of the same or less of more? *Behav Res Ther* 2007; 45:1095–1109**
- Etkin A, Wager TD: Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia. *Am J Psychiatry* 2007; 164:1476–1488
- Furukawa TA, Watanabe N, Churchill R: Combined psychotherapy plus antidepressants for panic disorder with or without agoraphobia. *Cochrane Database Syst Rev* 2007;CD004364
- Milrod B, Leon AC, Busch F, Rudden M, Schwalberg M, Clarkin J, Aronson A, Singer M, Turchin W, Klass ET, Graf E, Teres JJ, Shear MK: A randomized controlled clinical trial of psychoanalytic psychotherapy for panic disorder. *Am J Psychiatry* 2007; 164:265–272**
- Pollack MH, Lepola U, Koponen H, Simon NM, Worthington JJ, Emilien G, Tzanis E, Salinas E, Whitaker T, Gao B: A double-blind study of the efficacy of venlafaxine extended-release, paroxetine, and placebo in the treatment of panic disorder. *Depress Anxiety* 2007; 24:1–14
- Siev J, Chambless DL: Specificity of treatment effects: cognitive therapy and relaxation for generalized anxiety and panic disorders. *J Consult Clin Psychol* 2007; 75: 513–522
- Watanabe N, Churchill R, Furukawa TA: Combination of psychotherapy and benzodiazepines versus either therapy alone for panic disorder: a systematic review. *BMC Psychiatry* 2007; 7:18
- Bystritsky A: Treatment-resistant anxiety disorders. *Mol Psychiatry* 2006; 11:805–814
- Carlbring P, Bohman S, Brunt S, Buhrman M, Westling BE, Ekselius L, Andersson G: Remote treatment of panic disorder: a randomized trial of internet-based cognitive behavior therapy supplemented with telephone calls. *Am J Psychiatry* 2006; 163:2119–2125
- Conway KP, Compton W, Stinson FS, Grant BF: Lifetime comorbidity of DSM-IV mood and anxiety disorders and specific drug use disorders: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *J Clin Psychiatry* 2006; 67:247–257
- Furukawa TA, Watanabe N, Churchill R: Psychotherapy plus antidepressant for panic disorder with or without agoraphobia: systematic review. *Br J Psychiatry* 2006; 188:305–312**
- Goodwin RD, Roy-Byrne P: Panic and suicidal ideation and suicide attempts: results from the National Comorbidity Survey. *Depress Anxiety* 2006; 23:124–132
- Heldt E, Gus Manfro G, Kipper L, Blaya C, Isolan L, Otto MW: One-year follow-up of pharmacotherapy-resistant patients with panic disorder treated with cognitive-behavior therapy: outcome and predictors of remission. *Behav Res Ther* 2006; 44:657–665
- Kessler RC, Chiu WT, Jin R, Ruscio AM, Shear K, Walters E: The epidemiology of panic attacks, panic disorder, and agoraphobia in the National Comorbidity Survey Replication. *Arch Gen Psychiatry* 2006; 63:415–424

- Katon WJ: Clinical practice: panic disorder. *N Engl J Med* 2006; 354:2360–2367
- Paulus MP, Stein, MB: An insular view of anxiety. *Biol Psychiatry* 2006; 60:383–387
- Ross, LE, McLean LM: Anxiety disorders during pregnancy and the postpartum period: a systematic review. *J Clin Psychiatry* 2006; 67:1285–1298
- Roy-Byrne P, Craske M, Stein M: Panic disorder. *Lancet* 2006; 368:1023–1032
- Sareen J, Chartier M, Paulus MP, Stein MB: Illicit drug use and anxiety disorders: findings from two community surveys. *Psychiatry Res* 2006; 142:11–17
- Schraufnagel TJ, Wagner AW, Miranda J, Roy-Byrne PP: Treating minority patients with depression and anxiety: what does the evidence tell us. *Gen Hosp Psychiatry* 2006; 28:27–36**
- Westra H, Dozois D: Preparing clients for cognitive behavior therapy: a randomized pilot study of motivational interviewing for anxiety. *Cogn Ther Res* 2006; 30:481–498
- Bruce SE, Yonkers KA, Otto MW, Eisen JL, Weisberg RB, Pagano M, Shea MT, Keller MB: Influence of psychiatric comorbidity on recovery and recurrence in generalized anxiety disorder, social phobia, and panic disorder: a 12-year prospective study. *Am J Psychiatry* 2005; 162:1179–1187**
- Carlbring P, Nilsson-Ihrfelt E, Waara J, Kollenstam C, Buhrman M, Kaldö V, Söderberg M, Ekselius L, Andersson G: Treatment of panic disorder: live therapy vs. self-help via the Internet. *Behav Res Ther* 2005; 43: 1321–1333
- Flint A: Anxiety and its disorders in late life: moving the field forward. *Am J Geriatric Psychiatry* 2005; 13:3–6
- Hettema JM, Prescott CA, Meyers JM, Neale MC, Kendler KS: The structure of genetic and environmental risk factors for anxiety disorders in men and women. *Arch Gen Psychiatry* 2005; 62:182–189
- Mitte K: A meta-analysis of the efficacy of psycho- and pharmacotherapy in panic disorder with and without agoraphobia. *J Affect Disord* 2005; 88:27–45
- Roy-Byrne PP, Craske MG, Stein MB, Sullivan G, Bystritsky A, Katon W, Golinelli D, Sherbourne CD: A randomized effectiveness trial of cognitive-behavioral therapy and medication for primary care panic disorder. *Arch Gen Psychiatry* 2005; 62:290–298
- Smoller JW, Yamaki LH, Fagerness JA, Biederman J, Racette S, Laird NM, Kagan J, Snidman N, Faraone SV, Hirshfeld-Becker D, Tsuang MT, Slaugenhaupt SA, Rosenbaum JF, Sklar PB: The corticotropin-releasing hormone gene and behavioral inhibition in children at risk for panic disorder. *Biol Psychiatry* 2005; 57:1485–1492
- Biederman J, Petty C, Faraone SV, Hirshfeld-Becker D, Pollack MH, Henin A, Gilbert J, Rosenbaum JF: Moderating effects of major depression on patterns of comorbidity in patients with panic disorder. *Psychiatry Res* 2004; 14:126, 143–149
- Deacon BJ, Abramowitz JS: Cognitive and behavioral treatments for anxiety disorders: a review of meta-analytic findings. *J Clin Psychol* 2004; 160:429–441**
- National Institute for Clinical Excellence: Anxiety: management of anxiety (panic disorder, with or without agoraphobia, and generalised anxiety disorder) in adults in primary, secondary and community care. 2004. <http://www.nice.org.uk/CG022quickrefguide>
- Sheikh JI, Swales PJ, Carlson EB, Lindley SE: Aging and panic disorder: phenomenology, comorbidity, and risk factors. *Am J Geriatr Psychiatry* 2004; 12:102–109
- Fleet RP, Lavoie KL, Martel JP, Dupuis G, Marchand A, Beitman BD: Two-year follow-up status of emergency department patients with chest pain: was it panic disorder? *CJEM* 2003; 5:247–254
- Lewis-Fernandez R, Guarnaccia PJ, Martinez IE, Salman E, Schmidt A, Liebowitz M: Comparative phenomenology of ataques de nervios, panic attacks, and panic disorder. *Cult Med Psychiatry* 2002; 26:199–223
- Goddard AW, Brouette T, Almai A, Jetty P, Woods SW, Charney D: Early coadministration of clonazepam with sertraline for panic disorder. *Arch Gen Psychiatry* 2001; 58:681–686
- Katzelnick DJ, Kobak KA, DeLeire T, Henk HJ, Greist JH, Davidson JR, Schneier FR, Stein MB, Helstad CP: Impact of generalized social anxiety disorder in managed care. *Am J Psychiatry* 2001; 158:1999–2007
- Fleet RP, Marchand A, Dupuis G, Kaczorowski J, Beitman BD: Comparing emergency department and psychiatric setting patients with panic disorder. *Psychosomatics* 1998; 39:512–518
- Shear MK, Brown TA, Barlow DH, Money R, Sholomskas DE, Woods SW, Gorman JM, Papp LA: Multicenter collaborative Panic Disorder Severity Scale. *Am J Psychiatry* 1997; 154:1571–1575
- Nagy LM, Krystal JH, Woods SW, Charney DS: Clinical and medication outcome after short-term alprazolam and behavioral group treatment in panic disorder. 2.5 year naturalistic follow-up study. *Arch Gen Psychiatry* 1989; 46:993–999
- Klein DF: Delineation of two drug-responsive anxiety syndromes. *Psychopharmacologia* 1964; 5:397–408
- Klein DF, Fink M: Psychiatric reaction patterns to imipramine. *Am J Psychiatry* 1962; 119:432–438**

SOCIAL PHOBIA

- Mörtberg E, Clark DM, Sundin O, Aberg Wistedt A. Intensive group cognitive treatment and individual cognitive therapy vs. treatment as usual in social phobia: a randomized controlled trial. *Acta Psychiatr Scand* 2007; 115:142–154
- Sareen J, Campbell DW, Leslie WD, Malisza KL, Stein MB, Paulus MP, Kravetsky LB, Kjernisted KD, Walker JR, Reiss JP: Striatal function in generalized social phobia: a functional magnetic resonance imaging study. *Biol Psychiatry* 2007; 61:396–404
- Foa EB: Social anxiety disorder treatments: psychosocial therapies. *J Clin Psychiatry* 2006; 67(suppl 12):27–30
- Hofmann SG, Meuret AE, Smits JA, Simon NM, Pollack MH, Eisenmenger K, Shiekh M, Otto MW: Augmentation of exposure therapy with D-cycloserine for social anxiety disorder. *Arch Gen Psychiatry* 2006; 63:298–304
- Matthew SJ, Ho S: Etiology and neurobiology of social anxiety disorder. *J Clin Psychiatry* 2006; 67(suppl 12): 9–13
- Phan KL, Fitzgerald DA, Nathan PJ, Tancer ME: Association between amygdala hyperactivity to harsh faces and severity of social anxiety in generalized social phobia. *Biol Psychiatry* 2006; 59:424–429
- Stein MB: An epidemiologic perspective on social anxiety disorder. *J Clin Psychiatry* 2006; 67(suppl 12):3–8
- Liebowitz MR, Mangano RM, Bradwejn J, Asnis G, SAD Study Group: A randomized controlled trial of venlafaxine extended release in generalized social anxiety disorder. *J Clin Psychiatry* 2005; 66:238–247
- Mancini C, Van Ameringen M, Bennett M, Patterson B, Watson C: Emerging treatments for child and adolescent social phobia: a review. *J Child Adolesc Psychopharmacol* 2005; 15:589–607
- Bögels SM, Mansell W: Attention processes in the maintenance and treatment of social phobia: hypervigilance, avoidance and self-focused attention. *Clin Psychol Rev* 2004; 24:827–856
- Van Ameringen M, Mancini C, Pipe B, Oakman J, Bennett M: An open trial of topiramate in the treatment of generalized social phobia. *J Clin Psychiatry* 2004; 65:1674–1678
- Heimberg RG: Cognitive-behavioral therapy for social anxiety disorder: current status and future directions. *Biol Psychiatry* 2002; 51:101–108
- Stein MB, Kean YM: Disability and quality of life in social phobia: epidemiologic findings. *Am J Psychiatry* 2000; 157:1606–1613
- Liebowitz MR, Heimberg RG, Schneier FR, Hope DA, Davies S, Holt CS, Goetz D, Juster HR, Lin SH, Bruch MA, Marshall RD, Klein DF: Cognitive-behavioral group therapy versus phenelzine in social phobia: long-term outcome. *Depress Anxiety* 1999; 10:89–98
- Kessler RC, Berglund P: Social phobia subtypes in the National Comorbidity Survey. *Am J Psychiatry* 1998; 155:613–619
- Heimberg RG, Liebowitz MR, Hope DA, Schneier FR, Holt CS, Welkowitz LA, Juster HR, Campeas R, Bruch MA, Cloitre M, Fallon B, Klein DF: Cognitive behavioral group therapy vs phenelzine therapy for social phobia: 12-week outcome. *Arch Gen Psychiatry* 1998; 55:1133–1141
- Liebowitz MR, Schneier F, Campeas R, Hollander E, Hatterer J, Fyer A, Gorman J, Papp L, Davies S, Gully R: Phenelzine vs atenolol in social phobia; a placebo-controlled comparison. *Arch Gen Psychiatry* 1992; 49: 290–300

NOTES