

Bibliography

FOR PTSD AND DISASTER PSYCHIATRY

This section contains a compilation of recent publications that have shaped the thinking in the field as well as classic works that remain important to the subject reviewed in this issue. This bibliography has been compiled by experts in the field and members of the editorial and advisory boards. Entries are listed chronologically and within years by first author. Articles from the bibliography that are reprinted in this issue are in bold type.

- Amstadter AB, Koenen KC, Ruggiero KJ, Acierno R, Galea S, Kilpatrick DG, Gelernter J: Variant in RGS2 moderates posttraumatic stress symptoms following potentially traumatic event exposure. *J Anxiety Disord* 2009; 23:369–373
- Back SE, Waldrop AE, Brady KT: Treatment challenges associated with comorbid substance use and posttraumatic stress disorder: clinicians' perspectives. *Am J Addict* 2009; 18:15–20
- Benedek DM, Friedman MJ, Zatzick D, Ursano RJ: Guideline Watch (March 2009): Practice Guideline for the Treatment of Patients with Acute Stress Disorder and Posttraumatic Stress Disorder. Washington, DC, American Psychiatric Association, 2009**
- North CS, Suris AM, Davis M, Smith RP: Toward validation of the diagnosis of posttraumatic stress disorder. *Am J Psychiatry* 2009; 166:34–41
- Roberts NP, Kitchiner NJ, Kenardy J, Bisson JI: Systematic review and meta-analysis of multiple-session early interventions following traumatic events. *Am J Psychiatry* 2009; 166:293–301
- Boscarino JA: A prospective study of PTSD and early-age heart disease mortality among Vietnam veterans: implications for surveillance and prevention. *Psychosom Med* 2008; 70:668–676
- Bryant RA, Felmingham K, Kemp A, Das P, Hughes G, Peduto A, Williams L: Amygdala and ventral anterior cingulate activation predicts treatment response to cognitive behaviour therapy for post-traumatic stress disorder. *Psychol Med* 2008; 38:555–561
- Bryant RA, Mastrodomenico J, Felmingham KL, Hopwood S, Kenny L, Kandris E, Cahill C, Creamer M: Treatment of acute stress disorder: a randomized controlled trial. *Arch Gen Psychiatry* 2008; 65:659–667
- Geuze E, van Berckel BN, Lammertsma AA, Boellaard R, de Kloet CS, Vermetten E, Westenberg HG: Reduced GABA_A benzodiazepine receptor binding in veterans with post-traumatic stress disorder. *Mol Psychiatry* 2008; 13:74–83
- North CS, Hong BA, Suris A, Spitznagel EL: Distinguishing distress and psychopathology among survivors of the Oakland/Berkeley firestorm. *Psychiatry* 2008; 71:35–45
- Strawn JR, Geraciotti TD Jr: Noradrenergic dysfunction and the psychopharmacology of posttraumatic stress disorder. *Depress Anxiety* 2008; 25:260–271
- Taylor FB, Martin P, Thompson C, Williams J, Mellman TA, Gross C, Peskind ER, Raskind MA: Prazosin effects on objective sleep measures and clinical symptoms in civilian trauma posttraumatic stress disorder: a placebo-controlled study. *Biol Psychiatry* 2008; 63:629–632
- Australian Guidelines for the Treatment of Adults with Acute Stress Disorder and Posttraumatic Stress Disorder. Australian Centre for Posttraumatic Mental Health (ACPMH), 2007. <http://www.acpmh.unimelb.edu.au>
- Bisson J, Andrew M: Psychological treatment of post-traumatic stress disorder (PTSD). *Cochrane Database Syst Rev* 2007; 3:CD003388
- Bisson J, Ehlers A, Matthews R, Pilling S, Richards D, Turner S: Psychological treatments for chronic post-traumatic stress disorder. Systematic review and meta-analysis. *Br J Psychiatry* 2007; 190:97–104
- Bonanno GA, Galea S, Bucchiarelli A, Vlahov D: What predicts psychological resilience after disaster? The role of demographics, resources, and life stress. *J Consult Clin Psychol* 2007; 75:671–682
- Breslau N, Alvarado GF: The clinical significance criterion in DSM-IV post-traumatic stress disorder. *Psychol Med* 2007; 37:1437–1444
- Davis JL, Wright DC: Randomized clinical trial for treatment of chronic nightmares in trauma-exposed adults. *J Trauma Stress* 2007; 20:123–133
- Difede J, Malta LS, Best S, Henn-Haase C, Metzler T, Bryant R, Marmar C: A randomized controlled clinical treatment trial for World Trade Center attack-related PTSD in disaster workers. *J Nerv Ment Dis* 2007; 195: 861–865
- Dirkzwager AJ, van der Velden PG, Grievink L, Yzermans CJ: Disaster-related posttraumatic stress disorder and physical health. *Psychosom Med* 2007; 69:435–440
- Hobfoll SE, Watson P, Bell CC, Bryant RA, Brymer MJ, Friedman MJ, Friedman M, Gersons BP, de Jong JT, Layne CM, Maguen S, Neria Y, Norwood AE, Pynoos RS, Reissman D, Ruzek JL, Shalev AY, Solomon Z, Steinberg AM, Ursano RJ: Five essential elements of immediate and mid-term mass trauma intervention: empirical evidence. *Psychiatry* 2007; 70:283–315**

- Hoge EA, Austin ED, Pollack MH: Resilience: research evidence and conceptual considerations for posttraumatic stress disorder. *Depress Anxiety* 2007; 24:139–152
- Horan WP, Ventura J, Mintz J, Kopelowicz A, Wirshing D, Christian-Herman J, Foy D, Liberman RP: Stress and coping responses to a natural disaster in people with schizophrenia. *Psychiatry Res* 2007; 151:77–86
- Institute of Medicine Committee on Treatment of Posttraumatic Stress Disorder (PTSD): PTSD: An Assessment of the Evidence, 2007. <http://www.iom.edu/CMS/3793/39330/47389.aspx>
- Kilpatrick DG, Koenen KC, Ruggiero KJ, Acierno R, Galea S, Resnick HS, Roitzsch J, Boyle J, Gelernter J: The serotonin transporter genotype and social support and moderation of posttraumatic stress disorder and depression in hurricane-exposed adults. *Am J Psychiatry* 2007; 164:1693–1699
- Lamarche LJ, De Koninck J: Sleep disturbance in adults with posttraumatic stress disorder: a review. *J Clin Psychiatry* 2007; 68:1257–1270
- Litz BT, Engel CC, Bryant RA, Papa A: A randomized, controlled proof-of-concept trial of an Internet-based, therapist-assisted self-management treatment for posttraumatic stress disorder. *Am J Psychiatry* 2007; 164:1676–1683
- Raskind MA, Peskind ER, Hoff DJ, Hart KL, Holmes HA, Warren D, Shofer J, O'Connell J, Taylor F, Gross C, Rohde K, McFall ME: A parallel group placebo controlled study of prazosin for trauma nightmares and sleep disturbance in combat veterans with post-traumatic stress disorder. *Biol Psychiatry* 2007; 61:928–934
- Sareen J, Cox BJ, Afifi TO, Stein MB, Belik SL, Meadows G, Asmundson GJ: Combat and peacekeeping operations in relation to prevalence of mental disorders and perceived need for mental health care. findings from a large representative sample of military personnel. *Arch Gen Psychiatry* 2007; 64:843–852. <http://archpsyc.ama-assn.org/cgi/content/full/64/7/843>
- Sareen J, Cox BJ, Stein MB, Afifi TO, Fleet C, Asmundson GJ: Physical and mental comorbidity, disability, and suicidal behavior associated with posttraumatic stress disorder in a large community sample. *Psychosom Med* 2007; 69:242–248.
- Storr CL, Ialongo NS, Anthony JC, Breslau N: Childhood antecedents of exposure to traumatic events and posttraumatic stress disorder. *Am J Psychiatry* 2007; 164:119–125
- Wang PS, Gruber MJ, Powers RE, Schoenbaum M, Speier AH, Wells KB, Kessler RC: Mental health service use among Hurricane Katrina survivors in the eight months after the disaster. *Psychiatr Serv* 2007; 58:1403–1411**
- Adams RE, Boscarino JA: Predictors of PTSD and delayed PTSD after disaster: the impact of exposure and psychosocial resources. *J Nerv Ment Dis* 2006; 194:485–493
- Connor KM: Assessment of resilience in the aftermath of trauma. *J Clin Psychiatry* 2006; 67(suppl 2):46–49
- Foa E B, Zoellner LA, Feeny NC: An evaluation of three brief programs for facilitating recovery after assault. *J Traum Stress* 2006; 19:29–43
- Nemeroff CB, Bremner JD, Foa EB, Mayberg HS, North CS, Stein MB: Posttraumatic stress disorder: a state-of-the-science review. *J Psychiatr Res* 2006; 40:1–21**
- Seidler GH, Wagner FE: Comparing the efficacy of EMDR and trauma-focused cognitive-behavioral therapy in the treatment of PTSD: a meta-analytic study. *Psychol Med* 2006; 36:1515–1522
- Stein D, Ipser J, Seedat S: Pharmacotherapy for post traumatic stress disorder (PTSD). *Cochrane Database Syst Rev* 2006; 1:CD002795. http://mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD002795/pdf_standard_fs.html
- Bradley R, Greene J, Russ E, Dutra L, Westen D: A multidimensional meta-analysis of psychotherapy for post traumatic stress disorder. *Am J Psychiatry* 2005; 162:214–227
- Cook J, O'Donnell C: Assessment and psychological treatment of posttraumatic stress disorder in older adults. *J Geriatr Psychiatry Neurol* 2005; 18:61–71
- Galea S, Nandi A, Vlahov D: The epidemiology of post-traumatic stress disorder after disasters. *Epidemiol Rev* 2005; 27:78–91. <http://epirev.oxfordjournals.org/cgi/content/full/27/1/78>
- Mawson AR: Understanding mass panic and other collective responses to threat and disaster. *Psychiatry* 2005; 68:95–113
- National Institute for Clinical Excellence: The Management of Post Traumatic Stress Disorder in Primary and Secondary Care. London: NICE, 2005. www.nice.org.uk/CG026NICEguideline
- American Psychiatric Association: Practice Guideline for the Treatment of Patients with Acute Stress Disorder and Posttraumatic Stress Disorder. Washington, DC, American Psychiatric Association, 2004. www.psychiatryonline.com/pracGuide/pracGuideHome.aspx
- Charney DS: Psychobiological mechanisms of resilience and vulnerability: implications for successful adaptation to extreme stress. *Am J Psychiatry* 2004; 161:195–216. Reprinted in *Focus* 2004; 2:368–391
- Fullerton CS, Ursano RJ, Wang L: Acute stress disorder, posttraumatic stress disorder, and depression in disaster or rescue workers. *Am J Psychiatry* 2004; 161:1370–1376
- Hoge CW, Castro CA, Messer SC, McGurk D, Cotting DI, Koffman RL: Combat duty in Iraq and Afghanistan, mental health problems, and barriers to care. *N Engl J Med* 2004; 351:13–22
- North CS, Kawasaki A, Spitznagel EL, Hong BA: The course of PTSD, major depression, substance abuse, and somatization after a natural disaster. *J Nerv Ment Dis* 2004; 192:823–829

- Galea S, Ahern J, Resnick H, Kilpatrick D, Bucuvalas M, Gold J, Vlahov D: Psychological sequelae of the September 11 terrorist attacks in New York City. *N Engl J Med* 2002; 346:982–987
- Norris FH, Friedman MJ, Watson PJ, Byrne CM, Diaz E, Kaniasty K: 60,000 disaster victims speak: Part I. An empirical review of the empirical literature, 1981–2001. *Psychiatry* 2002; 65:207–239
- Norris FH, Friedman MJ, Watson PJ, Byrne CM, Diaz E, Kaniasty K. 60,000 disaster victims speak: Part II. Summary and implications of the disaster mental health research. *Psychiatry* 2002; 65:240–260
- North CS, McCutcheon V, Spitznagel EL, Smith EM: Three-year follow-up of survivors of a mass shooting episode. *J Urban Health* 2002; 79:383–391
- North CS, Pfefferbaum B: Research on the mental health effects of terrorism. *JAMA* 2002; 288:633–636
- North CS: Somatization in survivors of catastrophic trauma: a methodological review. *Environ Health Perspect* 2002; 110(suppl 4):637–640
- Brady K, Pearlstein T, Asnis GM, Baker D, Rothbaum B, Sikes CR, Farfel GM: Efficacy and safety of sertraline treatment of posttraumatic stress disorder. *JAMA* 2000; 284:563–564
- LeDoux JE: Emotion circuits in the brain. *Annu Rev Neurosci* 2000; 23:127–153**
- Foa EB, Dancu CV, Hembree EA, Jaycox LH, Meadows EA, Street GP: A comparison of exposure therapy, stress inoculation training, and their combination for reducing posttraumatic stress disorder in female assault victims. *J Consult Clin Psychol* 1999; 67:194–200**
- North CS, Nixon SJ, Shariat S, Mallonee S, McMillen JC, Spitznagel EL, Smith EM: Psychiatric disorders among survivors of the Oklahoma City bombing. *JAMA* 1999; 282:755–762
- Kessler RC, Sonnega A, Bromet E, Hughes M, Nelson CB: Posttraumatic stress disorder in the National Comorbidity Survey. *Arch Gen Psychiatry* 1995; 52:1048–1060
- Foa EB, Rothbaum BO, Riggs DS, Murdock TB: Treatment of posttraumatic stress disorder in rape victims: a comparison between cognitive-behavioral procedures and counseling. *J Consult Clin Psychol* 1991; 59:715–723

NOTES