

Bibliography

PSYCHOTHERAPY

This section contains a compilation of recent publications that have shaped the thinking in the field as well as classic works that remain important to the subject reviewed in this issue. This bibliography has been compiled by experts in the field and members of the editorial and advisory boards. Entries are listed chronologically and within years by first author. Articles from the bibliography that are reprinted in this issue are in bold type.

- Shedler J: The efficacy of psychodynamic psychotherapy. *Am Psychol* (February 2010)
- Driessen E, Cuijpers P, de Maat SC, Abbass AA, de Jonghe F, Dekker JJ: The efficacy of short-term psychodynamic psychotherapy for depression: a meta-analysis. *Clin Psychol Rev* 2010; 30:25–36
- Gibbons CJ, Fournier JC, Stirman SW, Derubeis RJ, Crits-Christoph P, Beck AT: The clinical effectiveness of cognitive therapy for depression in an outpatient clinic. *J Affect Disord* (2010 Jan 15) [epub ahead of print]
- Apodaca TR, Longabaugh R: Mechanisms of change in motivational interviewing: a review and preliminary evaluation of the evidence. *Addiction* 2009; 104:705–715
- Hepburn SR, Crane C, Barnhofer T, Duggan DS, Fennell MJV, Williams JMG: Mindfulness-based cognitive therapy may reduce thought suppression in previously suicidal participants: findings from a preliminary study. *Br J Clin Psychol* 2009;48:209–215
- Bateman A, Fonagy P: Randomized controlled trial of outpatient mentalization-based treatment versus structured clinical management for borderline personality disorder. *Am J Psychiatry* 2009; 166:1355–1364**
- Bell AC, D’Zurilla TJ. Problem-solving therapy for depression: a meta-analysis. *Clin Psychol Rev* 2009; 29:348–353
- Busch FN, Milrod BL, Sandberg LS: A study demonstrating efficacy of a psychoanalytic psychotherapy for panic disorder: implications for psychoanalytic research, theory, and practice. *J Am Psychoanal Assoc* 2009; 57:131–148
- Cuijpers P, Dekker J, Hollon SD, Andersson G: Adding psychotherapy to pharmacotherapy in the treatment of depressive disorders in adults: a meta-analysis. *J Clin Psychiatry* 2009; 70:1219–1229
- Cuijpers P, Munoz RF, Clarke GN, Lewinsohn PM: Psychoeducational treatment and prevention of depression: the “coping with depression” course thirty years later. *Clin Psychol Rev* 2009; 29:449–458
- Kocsis JH, Leon AC, Markowitz JC, Manber R, Arnow B, Klein DN, Thase ME: Patient preference as a moderator of outcome for chronic forms of major depressive disorder treated with nefazodone, cognitive behavioral analysis system of psychotherapy, or their combination. *J Clin Psychiatry* 2009; 70:354
- Leichsenring F, Salzer S, Jaeger U, Kächele H, Kreische R, Leweke F, Rüger U, Winkelbach C, Leibling E: Short-term psychodynamic psychotherapy and cognitive-behavioral therapy in generalized anxiety disorder: a randomized, controlled trial. *Am J Psychiatry* 2009; 166:875–881**
- Miller WR, Rollnick S: Ten things that motivational interviewing is not. *Behav Cogn Psychother* 2009; 37: 129–140
- Miller WR, Rose GS: Toward a theory of motivational interviewing. *Am Psychol* 2009; 64:527–37
- Nash SS, Kent LK, Muskin PR: Psychodynamics in medically ill patients. *Harv Rev Psychiatry* 2009; 17: 389–397
- Stanley MA, Wilson NL, Novy DM, Rhoades HM, Wagener PD, Greisinger AJ, Cully JA, Kunik ME: Cognitive behavior therapy for generalized anxiety disorder among older adults in primary care: a randomized clinical trial. *JAMA* 2009; 301:1460
- van Ingen DJ, Freiheit SR, Vye CS: From the lab to the clinic: Effectiveness of cognitive-behavioral treatments for anxiety disorders. *Prof Psychol* 2009; 40:69–74
- Covin R, Ouimet AJ, Seeds PM, Dozois DJ: A meta-analysis of CBT for pathological worry among clients with GAD. *J Anxiety Disord* 2008; 22:108–116
- Cuijpers P, van Straten A, Andersson G, van Oppen P: Psychotherapy for depression in adults: a meta-analysis of comparative outcome studies. *J Consult Clin Psychol* 2008; 76:909–922. Available online at <http://www.sciencedirect.com/>**
- Cuijpers P, van Straten A, Warmerdam L. Are individual and group treatments equally effective in the treatment of depression in adults? A meta-analysis. *Eur J Psychiatry* 2008; 22:38–51

- Frewen PA, Dozois DJ, Lanius RA: Neuroimaging studies of psychological interventions for mood and anxiety disorders: empirical and methodological review. Clin Psychol Rev 2008; 28:228–246**
- Hofmann SG, Smits JA: Cognitive-behavioral therapy for adult anxiety disorders: a meta-analysis of randomized placebo-controlled trials. *J Clin Psychiatry* 2008; 69: 621–632
- Lau MA: New developments in psychosocial interventions for adults with unipolar depression. *Curr Opin Psychiatry* 2008; 21:30–36
- Leichsenring F, Rabung S: Effectiveness of long-term psychodynamic psychotherapy: a meta-analysis. *JAMA* 2008; 300:1551–1565
- Mojtabai R, Olfson M: National trends in psychotherapy by office-based psychiatrists. *Arch Gen Psychiatry* 2008; 65: 962
- Simon GE, Savarino J: Suicide attempts among patients starting depression treatment with medications or psychotherapy. *Am J Psychiatry* 2007; 164:1029–1034; reprinted in *Focus* 2008; 6:80–85
- Williams JMG, Russell I, Russell D: Mindfulness based cognitive therapy: further issues in current evidence and future research. *J Consult Clin Psychol* 2008; 76:524–529
- Dennis CL, Hodnett ED: Psychosocial and psychological interventions for treating postpartum depression. *Cochrane Database Syst Rev* 2007; 4:CD006116
- Henken HT, Huibers MJ, Churchill R, Restifo KK, Roelofs JJ: Family therapy for depression. *Cochrane Database Syst Rev* 2007; 3:CD006728
- Kenny MA, Williams JMG: Treatment-resistant depressed patients show a good response to mindfulness-based cognitive therapy. Behav Res Ther 2007; 45:617–625**
- Kingston T, Dooley B, Bates A, Lawlor E, Malone K: Mindfulness-based cognitive therapy for residual depressive symptoms. *Psychol Psychother* 2007; 80:193–203
- Luty SE, Carter JD, McKenzie JM, Rae AM, Frampton CM, Mulder RT, Joyce PR: Randomised controlled trial of interpersonal psychotherapy and cognitive-behavioural therapy for depression. Br J Psychiatry 2007; 190:496–502**
- Miklowitz DJ, Otto MW, Frank E, Reilly-Harrington NA, Wisniewski SR, Kogan JN, Nierenberg AA, Calabrese JR, Marangell LB, Gyulai L, Araga M, Gonzalez JM, Shirley ER, Thase ME, Sachs GS: Psychosocial treatments for bipolar depression: a 1-year randomized trial from the Systematic Treatment Enhancement Program. *Arch Gen Psychiatry* 2007; 64:419–427
- Milrod B, Leon AC, Busch F, Rudden M, Schwalberg M, Clarkin J, Aronson A, Singer M, Turchin W, Klass ET, Graf E, Teres JJ, Shear MK: A randomized controlled clinical trial of psychoanalytic psychotherapy for panic disorder. *Am J Psychiatry* 2007; 164:265–72; reprinted in *Focus* 2008; 6:496–504
- Butler AC, Chapman JE, Forman EM, Beck AT: The empirical status of cognitive-behavioral therapy: a review of meta-analyses. *Clin Psychol Rev* 2006; 26:17–31
- Daniel SI: Adult attachment patterns and individual psychotherapy: a review. Clin Psychol Rev 2006; 26:968–984**
- Kay J: The essentials of psychodynamic psychotherapy. *Focus* 2006; 2:167–172
- Markowitz JC: The clinical conduct of interpersonal psychotherapy. *Focus* 2006; 4:1179–1184
- Pinquart M, Duberstein PR, Lyness JM: Treatments for later-life depressive conditions: a meta-analytic comparison of pharmacotherapy and psychotherapy. *Am J Psychiatry* 2006; 163:1493–1501
- Brown GK, Ten Have T, Henriques GR, Xie SX, Hollander JE, Beck AT: Cognitive therapy for the prevention of suicide attempts: a randomized controlled trial. *JAMA* 2005; 294:563–570
- Griffith JL, Gaby L: Brief psychotherapy at the bedside: countering demoralization from medical illness. Psychosomatics 2005; 46:109–116**
- Hettema J, Steele J, Miller WR: Motivational interviewing. *Annu Rev Clin Psychol* 2005; 1:91–111
- Lam RW, Kennedy SH: Using metaanalysis to evaluate evidence: practical tips and traps. Can J Psychiatry 2005; 50:167–174**
- Robins CJ, Chapman AL: Dialectical behavior therapy: current status, recent developments and future directions. *J Pers Disord* 2004; 18:73–89
- Jehle PJ, McCullough P: Treatment of chronic major depression using cognitive behavioral analysis system of psychotherapy. *J Contemp Psychother* 2002; 32:263–271
- Brody AL, Saxena S, Stoessel P, Gillies LA, Fairbanks LA, Alborzian S, Phelps ME, Huang SC, Wu HM, Ho ML, Ho MK, Au SC, Maidment K, Baxter LR Jr: Regional brain metabolic changes in patients with major depression treated with either paroxetine or interpersonal therapy: preliminary findings. *Arch Gen Psychiatry* 2001; 58:631–640