

# Bibliography

FOR ADDICTION

*This section contains a compilation of recent publications that have shaped the thinking in the field as well as classic works that remain important to the subject reviewed in this issue. This bibliography has been compiled by experts in the field and members of the editorial and advisory boards. Entries are listed chronologically and within years by first author. Articles from the bibliography that are reprinted in this issue are in bold type.*

## **ADDICTION**

Greenfield SF, Back SE, Lawson K, Brady KT: Substance abuse in women. *Psychiatr Clin North Am* 2010; 33: 339–355

Ho MK, Goldman D, Heinz A, Kaprio J, Kreek MJ, Li MD, Munafò MR, Tyndale RF: Breaking barriers in the genomics and pharmacogenetics of drug addiction. *Clin Pharmacol Ther* 2010; 88:779–791

**Sellman D: The 10 most important things known about addiction. *Addiction* 2010; 105:6–13**

Swendsen J, Conway KP, Degenhardt L, Glantz M, Jin R, Merikangas KR, Sampson N, Kessler RC: Mental disorders as risk factors for substance use, abuse and dependence: results from the 10-year follow-up of the National Comorbidity Survey. *Addiction* 2010; 105: 1117–1128

**Tuchman E: Women and addiction: the importance of gender issues in substance abuse research. *J Addict Dis* 2010; 29:127–138.** Available online at <http://www.informaworld.com/smpp/title~db=all~content=g921472153>

Kalivas PW: The glutamate homeostasis hypothesis of addiction. *Nat Rev Neurosci* 2009; 10:561–572

Carroll KM, Ball SA, Martino S, Nich C, Babuscio TA, Nuro KF, Gordon MA, Portnoy GA, Rounsaville BJ: Computer-assisted delivery of cognitive behavioral therapy for addiction. A randomized trial of CBT4CBT. *Am J Psychiatry* 2008; 165:881–888

Dutra L, Stathopoulou G, Basden SL, Levro TM, Powers MB, Otto MW: A meta-analytic review of psychosocial interventions for substance use disorders. *Am J Psychiatry* 2008; 165:179–187

McLellan AT, Skipper GS, Campbell M, DuPont RL: Five year outcomes in a cohort study of physicians treated for substance use disorders in the United States. *BMJ* 2008; 337:a2038

**O'Brien CP: Evidence-based treatments of addiction. *Phil Trans R Soc B* 2008; 363:3277–3286**

Orford J: Asking the right questions in the right way: the need for a shift in research on psychological treatments for addiction. *Addiction* 2008; 103:875–885; discussion 886–892

Wong CCY, Schumann G: Genetics of addictions: strategies for addressing heterogeneity and polygenicity of substance use disorders *Phil Trans R Soc B* 2008; 363:3213–3222

**Babor TF, McRee BG, Kassebaum PA, Grimaldi PL, Ahmed K, Bray J: Screening, brief intervention, and referral to treatment (SBIRT): toward a public health approach to the management of substance abuse. *Substance Abuse* 2007; 28:7–30**

**Carroll KM, Rounsaville BJ: A vision of the next generation of behavioural therapies in the addictions. *Addiction* 2007; 102:850–862**

Green AI, Drake RE, Brunette MF, Noordsy DL: Schizophrenia and co-occurring substance use disorder. *Am J Psychiatry* 2007; 164:402–408

Otto MW, O'Leirigh CM, Pollack MH: Attending to emotional cues for drug abuse: bridging the gap between clinic and home behaviors. *Sci Pract Perspect* 2007; 3:48–56

Saunders JB, Schuckit MA, Sirovatka PJ, Regier DA (eds): Diagnostic Issues in Substance Use Disorders: Refining the Research Agenda for DSM-V. Arlington, VA, American Psychiatric Association, 2007

Baler RD, Volkow ND: Drug addiction: the neurobiology of disrupted self-control. *Trends Mol Med* 2006; 12: 559–566

Room R: Taking account of cultural and societal influences on substance use diagnoses and criteria. *Addiction* 2006; 101:31–39

Schuckit MA: Comorbidity between substance use disorders and psychiatric conditions. *Addiction* 2006; 101:76–88

Kalivas PW, Volkow ND: The neural basis of addiction: a pathology of motivation and choice. *Am J Psychiatry* 2005; 162:1403–1413

## **ALCOHOL USE DISORDERS**

Schuckit MA, Smith TL: Onset and course of alcoholism over 25 years in middle class men. *Drug Alcohol Depend* 2011; 113:21–28

- Bierut LJ, Agrawal A, Bucholz KK, Doheny KF, Laurie C, Pugh E, Fisher S, Fox L, Howells W, Bertelsen S, Hinrichs AL, Almasy L, Breslau N, Culverhouse RC, Dick DM, Edenberg HJ, Foroud T, Gruzza RA, Hatsukami D, Hesselbrock V, Johnson EO, Kramer J, Krueger RF, Kuperman S, Lynskey M, Mann K, Neuman RJ, Nöthen MM, Nurnberger JI Jr, Porjesz B, Ridinger M, Saccone NL, Saccone SF, Schuckit MA, Tischfield JA, Wang JC, Rietschel M, Goate AM, Rice JP, Environment Association Studies Consortium: A genome-wide association study of alcohol dependence. *Proc Natl Acad Sci USA* 2010; 107:5082–5087
- Johnson BA: Medication treatment of different types of alcoholism. *Am J Psychiatry*; 2010; 167:630–639**
- Pettinati HM, Oslin DW, Kampman KM, Dundon WD, Xie H, Gallis TL, Dackis CA, O'Brien CP: A double-blind, placebo-controlled trial combining sertraline and naltrexone for treating co-occurring depression and alcohol dependence. *Am J Psychiatry* 2010; 167:668–675
- Rehm J, Mathers C, Popova S, Thavorncharoensap M, Teerawattananon Y, Patra J: Global burden of disease and injury and economic cost attributable to alcohol use and alcohol-use disorders. *Lancet* 2009; 373:2223–2233
- Adamson SJ, Sellman JD, Frampton CMA: Patient predictors of alcohol treatment outcome: a systematic review. *J Subst Abuse Treat* 2009; 36:75–86
- Schuckit MA: Alcohol-use disorders. *Lancet* 2009; 373: 492–501
- Schuckit MA: An overview of genetic influences in alcoholism. *J Subst Abuse Treat* 2009; 36:S5–S14
- Anton RF, Oroszi G, O'Malley S, Couper D, Swift R, Pettinati H, Goldman D: An evaluation of mu-opioid receptor (OPRM1) as a predictor of naltrexone response in the treatment of alcohol dependence. *Arch Gen Psychiatry* 2008; 65:135–144
- Blomeyer D, Treutlein J, Esser G, Schmidt MH, Schumann G, Laucht M: Interaction between Crhr1 gene and stressful life events predicts adolescent heavy alcohol use. *Biol Psychiatry* 2008; 63:146–151
- Johnson BA: Update on neuropharmacological treatments for alcoholism: scientific basis and clinical findings. *Biochem Pharmacol* 2008; 75:34–56
- Sommer WH, Rimondini R, Hansson AC, Hipkind PA, Gehlert DR, Barr CS, Heilig MA: Upregulation of voluntary alcohol intake, behavioral sensitivity to stress, and amygdala Crhr1 expression following a history of dependence. *Biol Psychiatry* 2008; 63:139–145
- National Institute of Alcohol Abuse and Alcoholism: Helping Patients Who Drink Too Much: A Clinician's Guide: NIH Publication 07-3769, Bethesda, MD, National Institutes of Health, 2007  
www.niaaa.nih.gov/guide
- Anton RF, O'Malley SS, Ciraulo DA, Cisler RA, Couper D, Donovan DM, Gastfriend DR, Hosking JD, Johnson BA, LoCastro JS, Longabaugh R, Mason BJ, Mattson ME, Miller WR, Pettinati HM, Randall CL, Swift R, Weiss RD, Williams LD, Zweben A: Combined pharmacotherapies and behavioral interventions for alcohol dependence: the COMBINE study: a randomized controlled trial. *JAMA* 2006; 295: 2003–2017
- Khantzian EJ, Mack JE: How AA works and why it's important for clinicians to understand. *J Subst Abuse Treat* 1994; 11:77–92
- Edwards G, Gross M: Alcohol dependence: provisional description of a clinical syndrome. *Br Med J* 1976; 1: 1058–1061

## DRUGS OF ABUSE: STIMULANTS, OPIOIDS, NICOTINE, PRESCRIPTION MEDICATIONS

- Castells X, Casas M, Pérez-Mañá C, Roncero C, Vidal X, Capellà D: Efficacy of psychostimulant drugs for cocaine dependence. *Cochrane Database Syst Rev* 2010; 2:CD007380
- Fenton MC, Keyes KM, Martins SS, Hasin DS: The role of a prescription in anxiety medication use, abuse, and dependence. *Am J Psychiatry* 2010; 167:1247–1253
- Hernandez SH, Nelson LS: Prescription drug abuse: insight into the epidemic. *Clin Pharmacol Ther* 2010; 88:307–317
- Maldonado JR: An approach to the patient with substance use and abuse. *Med Clin North Am* 2010; 94:1169–1205
- Manchikanti L, Fellows B, Ailani H, Pampati V: Therapeutic use, abuse, and nonmedical use of opioids: a ten-year perspective. *Pain Physician* 2010; 13:401–435
- Schuman-Olivier Z, Albanese M, Nelson SE, Roland L, Puopolo F, Klinker L, Shaffer HJ: Self-treatment: illicit buprenorphine use by opioid-dependent treatment seekers. *J Subst Abuse Treat* 2010; 39:41–50
- Sullivan LE, Moore BA, O'Connor PG, Barry DT, Chawarski MC, Schottenfeld RS, Fiellin DA: The association between cocaine use and treatment outcomes in patients receiving office-based buprenorphine/naloxone for the treatment of opioid dependence. *Am J Addict* 2010; 19:53–58
- Volkow ND, Fowler JS, Wang GJ, Telang F, Logan J, Jayne M, Ma Y, Pradhan K, Wong C, Swanson JM: Cognitive control of drug craving inhibits brain reward regions in cocaine abusers. *Neuroimage* 2010; 49:2536–2543
- Back SE, Waldrop AE, Brady KT: Treatment challenges associated with comorbid substance use and posttraumatic stress disorder: clinicians' perspectives. *Am J Addict* 2009; 18:15–20

- Dwoskin LP, Smith AM, Wooters TE, Zhang Z, Crooks PA, Bardo MT: Nicotinic receptor-based therapeutics and candidates for smoking cessation. *Biochem Pharmacol* 2009; 78:732–743
- Hall W, Degenhardt L: Adverse health effects of non-medical cannabis use. *Lancet* 2009; 374:1383–1391
- Krasnova IN, Cadet JL: Methamphetamine toxicity and messengers of death. *Brain Res Rev* 2009; 60:379–407
- Martell BA, Orson FM, Poling J, Mitchell E, Rossen RD, Gardner T, Kosten TR: Cocaine vaccine for the treatment of cocaine dependence in methadone-maintained patients: a randomized, double blind, placebo-controlled efficacy trial. *Arch Gen Psychiatry* 2009; 66:1116–1123
- Parr JM, Kavanagh DJ, Cahill L, Mitchell G, McD Young R: Effectiveness of current treatment approaches for benzodiazepine discontinuation: a meta-analysis. *Addiction* 2009; 104:13–24
- Vocci FJ, Montoya ID: Psychological treatments for stimulant misuse, comparing and contrasting those for amphetamine dependence and those for cocaine dependence. *Curr Opin Psychiatry* 2009; 22:263–268
- Fiellin DA: Treatment of adolescent opioid dependence: no quick fix. *JAMA* 2008; 300:2057–2059
- Lee NK, Rawson RA: A systematic review of cognitive and behavioural therapies for methamphetamine dependence. *Drug Alcohol Rev* 2008; 27:309–317
- Pergolizzi J, Böger RH, Budd K, Dahan A, Erdine S, Hans G, Kress HG, Langford R, Likar R, Raffa RB, Sacerdote P: Opioids and the management of chronic severe pain in the elderly: consensus statement of an International Expert Panel with focus on the six clinically most often used World Health Organization step III opioids (buprenorphine, fentanyl, hydromorphone, methadone, morphine, oxycodone). *Pain Pract* 2008; 8:287–313
- Trescot AM, Helm S, Hansen H, Benyamin R, Glaser SE, Adlaka R, Patel S, Manchikanti L: Opioids in the management of chronic non-cancer pain: an update of American Society of the Interventional Pain Physicians' (ASIPP) Guidelines. *Pain Physician* 2008; 11(2 suppl): S5–S62
- Wu LT, Blazer DG: Illicit and nonmedical drug use among older adults: a review. *Pain Physician* 2008; 11(2 suppl):S63–S88
- Kleber HD, Weiss RD, Anton RF Jr, George TP, Greenfield SF, Kosten TR, O'Brien CP, Rounsaville BJ, Strain EC, Ziedonis DM, Hennessy G, Connery HS, McIntyre JS, Charles SC, Anzia DJ, Cook IA, Finnerty MT, Johnson BR, Nininger JE, Summergrad P, Woods SM, Yager J, Pyles R, Cross CD, Peele R, Shemo JP, Lurie L, Walker RD, Barnovitz MA, Gray SH, Saxena S, Tonnu T, Kunkle R, Albert AB, Fochtmann LJ, Hart C, Regier D; Work Group on Substance Use Disorders; American Psychiatric Association; Steering Committee on Practice Guidelines: Treatment of patients with substance use disorders, second edition. *Am J Psychiatry* 2007; 164(4 suppl):5–123
- Knapp WP, Soares BG, Farrel M, Lima MS: Psychosocial interventions for cocaine and psychostimulant amphetamines related disorders. *Cochrane Database Syst Rev* 2007; 3:CD003023
- Roll JM, Petry NM, Stitzer ML, Brecht ML, Peirce JM, McCann MJ, Blaine J, MacDonald M, DiMaria J, Lucero L, Kellogg S: Contingency management for the treatment of methamphetamine use disorders. *Am J Psychiatry* 2006; 163:1993–1999
- DiClemente CC, Prochaska JO, Fairhurst S, Velicer WF, Velasquez MM, Rossi JS: The process of smoking cessation: an analysis of precontemplation, contemplation, and preparation stages of change. *J Consult Clin Psychol* 1991; 59:295–304

## NOTES