

# Diagnosis and Treatment of Obsessive-Compulsive and Related Disorders

This section contains a compilation of recent publications that have shaped the thinking in the field as well as classic works that remain important to the subject reviewed in this issue. This bibliography has been compiled by experts in the field. Articles from the bibliography that are reprinted in this issue are in bold type.

- Angelakis I, Gooding PA, Panagioti M: Suicidality in body dysmorphic disorder (BDD): a systematic review with meta-analysis. *Clin Psychol Rev* 2016; 49:55–66
- Azrin NH, Nunn RG: Habit-reversal: a method of eliminating nervous habits and tics. *Behav Res Ther* 1973; 11:619–628
- Chamberlain SR, Fineberg NA, Blackwell AD, et al: Motor inhibition and cognitive flexibility in obsessive-compulsive disorder and trichotillomania. *Am J Psychiatry* 2006; 163:1282–1284
- Christenson GA, Mackenzie TB, Mitchell JE: Characteristics of 60 adult chronic hair pullers. *Am J Psychiatry* 1991; 148:365–370
- Feusner JD, Townsend J, Bystritsky A, et al: Visual information processing of faces in body dysmorphic disorder. *Arch Gen Psychiatry* 2007; 64:1417–1425
- Freeman J, Benito K, Herren J, et al: Evidence base update of psychosocial treatments for pediatric obsessive-compulsive disorder: evaluating, improving, and transporting what works. *J Clin Child Adolesc Psychol* 2018; 47:669–698
- Frost RO, Hartl TL: A cognitive-behavioral model of compulsive hoarding. *Behav Res Ther* 1996; 34:341–350. doi: 10.1016/0005-7967(95)00071-2
- Frost RO, Steketee G (eds): *The Oxford Handbook of Hoarding and Acquiring*. New York, Oxford University Press, 2004. doi: 10.1093/oxfordhb/9780199937783.001
- Grant JE, Chamberlain SR, Redden SA, et al: N-acetylcysteine in the treatment of excoriation disorder: a randomized clinical trial. *JAMA Psychiatry* 2016; 73:490–496
- Grant JE, Odlaug BL, Hampshire A, et al: White matter abnormalities in skin picking disorder: a diffusion tensor imaging study. *Neuropsychopharmacology* 2013; 38:763–769. doi: 10.1038/npp.2012.241
- Grant JE, Odlaug BL, Kim SW: N-acetylcysteine, a glutamate modulator, in the treatment of trichotillomania: a double-blind, placebo-controlled study. *Arch Gen Psychiatry* 2009; 66:756–763
- Grünblatt E: Genetics of OCD and related disorders; searching for shared factors; in *Current Topics in Behavioral Neurosciences*. Edited by Geyer MA, Ellebroek BA, Marsden CA, et al. Paulus, MP, Springer, 2021. doi: 10.1007/7854\_2020\_194
- Hollander E, Allen A, Kwon J, et al: Clomipramine vs desipramine crossover trial in body dysmorphic disorder: selective efficacy of a serotonin reuptake inhibitor in imagined ugliness. *Arch Gen Psychiatry* 1999; 56:1033–1039
- Monzani B, Rijdsdijk F, Harris J, et al: The structure of genetic and environmental risk factors for dimensional representations of DSM-5 obsessive-compulsive spectrum disorders. *JAMA Psychiatry* 2014; 71:182–189
- Öst LG, Riise EN, Wergeland GJ, et al: Cognitive behavioral and pharmacological treatments of OCD in children: a systematic review and meta-analysis. *J Anxiety Disord* 2016; 43:58–69
- Phillips KA, Albertini RS, Rasmussen SA: A randomized placebo-controlled trial of fluoxetine in body dysmorphic disorder. *Arch Gen Psychiatry* 2002; 59:381–388
- Phillips KA, Grant J, Siniscalchi J, et al: Surgical and non-psychiatric medical treatment of patients with body dysmorphic disorder. *Psychosomatics* 2001; 42:504–510
- Phillips KA, McElroy SL, Keck PE Jr, et al: Body dysmorphic disorder: 30 cases of imagined ugliness. *Am J Psychiatry* 1993; 150:302–308
- Pinto A, Van Noppen B, Calvocoressi L: Development and preliminary psychometric evaluation of a self-rated version of the Family Accommodation Scale for Obsessive-Compulsive Disorder. *J Obsessive Compuls Relat Disord* 2013; 2:457–465
- Postlethwaite A, Kellett S, Mataix-Cols D: Prevalence of hoarding disorder: a systematic review and meta-analysis. *J Affect Disord* 2019; 256:309–316. doi: 10.1016/j.jad.2019.06.004
- Rothbart R, Amos T, Siegfried N, et al: Pharmacotherapy for trichotillomania. *Cochrane Database Syst Rev* 11: CD007662, 2015. doi: 10.1002/14651858.CD007662.pub2

- Schieber K, Kollei I, de Zwaan M, et al: Classification of body dysmorphic disorder—what is the advantage of the new DSM-5 criteria? *J Psychosom Res* 2015; 78:223–227
- Skapinakis P, Caldwell DM, Hollingworth W, et al: Pharmacological and psychotherapeutic interventions for management of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. *Lancet Psychiatry* 2016; 3:730–739
- Snorrason I, Beard C, Christensen K, et al: Body dysmorphic disorder and major depressive episode have comorbidity-independent associations with suicidality in an acute psychiatric setting. *J Affect Disord* 2019; 259:266–270
- Stewart KE, Sumantry D, Malivoire BL: Family and couple integrated cognitive-behavioural therapy for adults with OCD: a meta-analysis. *J Affect Disord* 2020; 277:159–168
- Swedo SE, Leonard HL, Rapoport JL, et al: A double-blind comparison of clomipramine and desipramine in the treatment of trichotillomania (hair pulling). *N Engl J Med* 1989; 321:497–501
- Tolin DF, Frost RO, Steketee G, et al: Cognitive behavioral therapy for hoarding disorder: a meta-analysis. *Depress Anxiety* 2015; 32:158–166. doi: 10.1002/da.22327
- Tucker BT, Woods DW, Flessner CA, et al: The Skin Picking Impact Project: phenomenology, interference, and treatment utilization of pathological skin picking in a population-based sample. *J Anxiety Disord* 2011; 25: 88–95
- Wilhelm S, Phillips KA, Greenberg JL, et al: Efficacy and posttreatment effects of therapist-delivered cognitive behavioral therapy vs supportive psychotherapy for adults with body dysmorphic disorder: a randomized clinical trial. *JAMA Psychiatry* 2019; 76:363–373
- Woods DW, Flessner CA, Franklin ME, et al: The Trichotillomania Impact Project (TIP): exploring phenomenology, functional impairment, and treatment utilization. *J Clin Psychiatry* 2006; 67:1877–1888